

## Corydoras size group 'A'

Up to and including 57 mm SL. (females)

No	Name	C No	M	F	Comments
01	<i>C. acrensis</i>		50	55	Similar to <i>C. trilineatus</i> with a slightly longer snout.
02	<i>C. arcuatus</i>		50	55	
03	<i>C. albolineatus</i>	C56	45	50	New species Knaack, 2004
04	<i>C. atropersonatus</i>		45	50	
05	<i>C. aurofrenatus</i>		50	55	
06	<i>C. axelrodi</i>		45	50	
07	<i>C. baderi</i>		45	50	
08	<i>C. bicolor</i>		45	50	
09	<i>C. bilineatus</i>		50	55	Described Knaack, 2002
10	<i>C. boehlkei</i>		50	55	
12	<i>C. boesemani</i>		42	45	
13	<i>C. bondi</i>	C32	45	50	
14	<i>C. breei</i>		40	45	
15	<i>C. burgessi</i>		50	55	
16	<i>C. carlae</i>		45	50	
17	<i>C. caudimaculatus</i>		45	50	
18	<i>C. cochui</i>		30	35	
19	<i>C. copei</i>		45	50	Moved from B
20	<i>C. coppenamensis</i>		45	50	Formerly <i>C. bondi coppenamensis</i>
21	<i>C. cortesi</i>		50	55	
22	<i>C. crimmeni</i>		50	55	
23	<i>C. cruziensis</i>	C12	45	50	Described Knaack, 2002
24	<i>C. difluviatilis</i>		45	50	
25	<i>C. diphyes</i>		45	50	
26	<i>C. duplicareus</i>		50	55	
27	<i>C. ehrhardti</i>		50	55	
28	<i>C. elegans</i>		50	55	
29	<i>C. eques</i>		50	55	
30	<i>C. filamentosus</i>		45	50	
31	<i>C. flaveolus</i>		45	50	
32	<i>C. garbei</i>		45	50	
33	<i>C. gracilis</i>		35	40	
34	<i>C. griseus</i>		45	50	
35	<i>C. guapore</i>		50	55	
36	<i>C. guianensis</i>		45	50	
37	<i>C. habrosus</i>		32	35	
38	<i>C. hastatus</i>		25	32	
39	<i>C. julii</i>		50	55	
40	<i>C. kanei</i>	C46	50	55	
41	<i>C. latus</i>		45	50	Moved from B
42	<i>C. leucomelas</i>		50	55	
43	<i>C. loretoensis</i>		45	50	
44	<i>C. loxozonus</i>	C82	50	55	
45	<i>C. maculifer</i>		50	55	Moved from B
46	<i>C. mamore</i>	C11	45	50	
47	<i>C. melanistius</i>		50	57	Formerly <i>C. melanistius melanistius</i>
48	<i>C. melini</i>		40	45	
49	<i>C. metae</i>		45	50	
50	<i>C. micracanthus</i>		45	50	
51	<i>C. multimaculatus</i>	C59	35	40	
52	<i>C. nanus</i>		45	50	
53	<i>C. napoensis</i>		45	50	
54	<i>C. nijsseni</i>		45	50	

55	<i>C. oiapoquensis</i>		50	55	
56	<i>C. osteocarus</i>	C60	42	46	
57	<i>C. panda</i>		45	50	
58	<i>C. paragua</i>		45	50	New species Knaack, 2004
59	<i>C. paucerna</i>		35	40	New species Knaack, 2004
60	<i>C. pestai</i>		45	50	Not scientifically proved ( <i>C. cf elegans</i> )
61	<i>C. polystictus</i>		45	50	
62	<i>C. potaroensis</i>		50	55	
63	<i>C. punctatus</i>		45	50	
64	<i>C. pygmaeus</i>		25	32	
65	<i>C. rabauti</i>		50	55	
66	<i>C. reynoldsi</i>	C64	45	50	
67	<i>C. sanchesi</i>		45	50	
68	<i>C. sipaliwini</i>		45	50	
69	<i>C. spilurus</i>		50	55	
70	<i>C. surinamensis</i>		50	55	Moved from B
71	<i>C. steindachneri</i>		45	50	
72	<i>C. tukano</i>		40	45	
73	<i>C. trilineatus</i>		50	55	
74	<i>C. undulatus</i>		50	55	
75	<i>C. venezuelanus</i>		50	55	Not scientifically proved <i>C. cf aeneus</i>
76	<i>C. weitzmani</i>		50	55	
77	<i>C. xinguensis</i>	C55	45	50	C105, C106, C107, C108

77 species

Note: - There are no longer any sub-species within the family Corydoradinae (Isbrücker 2001).