

‘C’ Numbers

‘C’	Species or Species similar to	M	F	Notes
C1	<i>C. incolicana</i>	/	/	
C2	<i>C. parallelus</i>	/	/	
C3	Sp ‘Dekeri’	50	55	Similar to <i>C. axelrodi</i> with more intense markings
C4	<i>C. virginiae</i>	/	/	
C5	<i>C. pantanalensis</i>	/	/	
C6	cf <i>leucomelas</i>	55	60	
C7	cf <i>steindachneri</i>	40	50	
C8	Sp. ‘long nose bondi’	65	70	
C9	cf <i>Lamberti</i>	55	60	
C10	cf <i>amandajanea</i>	60	65	Same as C80
C11	<i>C. mamore</i>	/	/	
C12	<i>C. cruziensis</i>	/	/	
C13	cf <i>pinheiroi</i>	55	60	
C14	cf <i>loretoensis</i>	45	50	(same as C 72)
C15	<i>S. lacerdai</i>	/	/	Formerly <i>Corydoras</i> now <i>Scleromystax</i>
C16	cf <i>melini</i>	55	60	
C17	<i>C. stenocephalus</i>	/	/	
C18	cf <i>leopardus</i>	60	65	
C19	cf <i>evelynae</i>	50	55	
C20	<i>C. arcuatus</i>	/	/	
C21	cf <i>crimmeni</i>	55	60	
C22	<i>C. cochui</i>	/	/	
C23	<i>C. sararensis</i>	/	/	
C24	cf <i>vittatus</i>	70	75	
C25	<i>C. pinheiroi</i>	/	/	
C26	<i>C. kanei</i>	/	/	
C27	<i>C. seussi</i>	/	/	
C28	cf <i>cervinus</i>	75	80	
C29	??	75	80	
C30	cf <i>surinamensis</i>	50	55	
C31	<i>C. bondi</i>	/	/	
C32	<i>C. blochi</i>	/	/	
C33	??	50	55	
C34	??	60	65	
C35	<i>Aspidoras</i> sp.	40	50	‘Black phantom’
C36	<i>Aspidoras</i> sp.	40	45	
C37	<i>Aspidoras</i> sp.	40	45	
C38	cf <i>agassizii</i>	70	70	
C39	cf <i>serratus</i>	55	60	
C40	??	40	45	
C41	Sp cf <i>undulatus</i>	40	50	
C42	Sp ‘Kristinae’	75	80	
C43	cf <i>brevirostris</i>	50	55	
C44	cf <i>brevirostris</i>	//	//	Juvenile C43
C45	cf <i>araguaiaensis</i> ‘Big spot’	40	50	
C46	<i>C. kanei</i>	/	/	
C47	??	60	65	
C48	??	45	50	
C49	Sp ‘False robustus’	60	65	
C50	<i>C. isbrueckeri</i>	/	/	
C51	??	65	70	
C52	??	70	75	
C53	Sp. cf <i>sychri</i>	60	65	

C54	??	50	55	
C55	<i>C. xinguensis</i>	/	/	
C56	<i>C. albolineatus</i>	/	/	
C57	Sp 'Nordestini'	50	60	
C58	<i>C. noelkempffi</i>	/	/	
C59	<i>C. multimaculatus</i>	/	/	
C60	<i>C. osteocarus</i>	/	/	
C61	??	60	65	
C62	??	50	55	
C63	??	65	70	
C64	<i>C. reynoldsi</i>	/	/	
C65	Sp 'Guarana'	50	55	
C66	cf <i>similis</i>	57	65	
C67	cf <i>garbei</i>	45	50	
C68	cf <i>maculifer</i> 'Bicuda'	65	70	
C69	<i>C. maculifer</i>	/	/	
C70	<i>C. areio</i>	/	/	
C71	Sp long nose <i>potaroensis</i>	55	60	
C72	cf <i>loretoensis</i>	//	//	(same as C 14)
C73	cf <i>griseus</i>	40	50	
C74	cf <i>delphax</i>	55	60	
C75	cf <i>saramaccensis</i>	55	60	
C76	??	35	40	
C77	cf <i>acutus</i>	60	65	
C78	cf <i>treitlii</i>	60	65	
C79	cf <i>loxozoneus</i>	45	50	
C80	??	60	65	Same as C10
C81	cf <i>geryi</i>	60	65	
C82	<i>C. loxozoneus</i>	/	/	
C83	??	55	60	
C84	??	45	50	
C85	cf <i>melini</i>	50	60	
C86	cf <i>cervinus</i>	65	70	
C87	cf <i>saramaccensis</i>	60	65	
C88	cf <i>undulatus</i>	45	50	
C89	??	40	50	Same as C93 species belonging to the 'elegans group'
C90	cf <i>evelynae</i>	45	50	
C91	Sp 'Huallaga' 'Peru bondi'	50	55	
C92	Sp 'long nose Peru bondi'	60	65	
C93	??	//	//	Same as C89 species belonging to the 'elegans group'
C94	??	55	60	
C95	??	55	60	
C96	cf <i>armatus</i>	45	50	
C97	cf <i>sychri</i>	55	60	
C98	Sp 'long nose evelynae'	55	60	
C99	cf <i>orcesi</i>	60	65	
C100	cf <i>evelynae</i>	50	55	
C101	cf <i>simulatus</i>	60	65	
C102	??	60	65	Similar to <i>C. leopardus</i>
C103	??	55	60	
C104	??	/	/	
C105	<i>C. xinguensis</i>	/	/	
C106	<i>C. xinguensis</i>	/	/	
C107	<i>C. xinguensis</i>	/	/	
C108	<i>C. xinguensis</i>	/	/	
C109	cf <i>acutus</i>	60	65	
C110	cf <i>copei</i>	55	60	
C111	<i>C. nijsseni</i>	/	/	

C112	Scleromystax sp.	65	70	Similar to <i>S. kronei</i> 'BAIANINHO II'
C113	Scleromystax sp.	60	65	Similar to <i>S. lacerdai</i> but larger with extended dorsal & pectoral fins.
C114	<i>C. cf paleatus</i>	55	60	Has dark marbling pattern on body and dark paired fins.
C115		60	65	Same as C116 with differing colour pattern.
C116		60	65	Same as C115 but has dark central body patch.
C117		60	65	
C118	<i>Aspidoras</i> species	45	50	
C119	<i>Aspidoras</i> species	45	50	
C120		45	55	Similar, to <i>C. julii</i> but with fewer larger spots & 4-5 caudal bars and comes from Peru.
C121	<i>C. cf burgessi</i>	55	60	Has a ovate large semi transparent patch on the cleithrum.
C122	<i>C. cf maculifer</i>	55	60	Similar. <i>C. maculifer</i> but with straight snout
C123	<i>C. cf elegans</i>	40	45	Has vivid yellow to olive fin colour
C124		60	65	
C125	<i>Aspidoras</i> species	35	40	
C126		45	50	
C127	<i>C. cf stenocephalus</i>	60	65	
C128		60	65	
C129		50	55	
C130	<i>C. cf acrensis</i>	60	65	
C131	<i>C. cf leopardus</i>	60	65	
C132		40	45	
C132		40	45	
C133		40	45	
C134		45	50	
C135		65	70	
C136		50	55	
C137		45	50	
C138		55	60	
C139		40	50	
C140		55	60	Long snouted C121 has a ovate large semi transparent patch on the cleithrum
C141		55	60	
C142		45	50	
C143		55	60	
C144		25	32	Small species similar to <i>C. cochui</i> from Rio Xingu
C145		60	65	
C146		65	75	
C147		40	50	
C148		55	60	
C149		60	65	Similar to <i>C. vittatus</i> with first three dorsal rays completely black, extends to shoulder.
C150		45	50	Species "Mazaruni"
C151		55	60	Similar to <i>C. melanistius</i> but shorter in the snout (Rio Xingu)
C152		55	60	
C153		60	65	Similar to <i>C. septentrionalis</i> but comes from Paraguay